


BCS-P-414RWSM(-G)-II

Network bullet camera 4Mpx with 4mm lens



- Sensor 1/3" 4Mpx PS CMOS
- Compression H.265+/H.264+/MJPEG
- Resolution 2688×1520@30fps
- Triple stream coding
- IR cut filter with auto switch ICR
- Functions AWB, AGC, AES, BLC, HLC, ROI, Defog, WDR(120dB), 2D/3D DNR
- Motion detect, privacy masking
- Intelligent functions: crossline, intrusion, abandoned/missing object
- IR distance up to 40m
- Fixed lens 4mm
- Outside casing IP67
- Built-in microphone
- Built-in Web service, support BCS-NVR, CMS(BCS Manager), mobile app BCS(android, iOS), P2P, Onvif
- Edge storage microSD up to 128GB
- Power supply DC12V / PoE(802.3af)



BCS-P-414RWSM(-G)-II

Network bullet camera 4Mpx with 4mm lens

System video	IP
Scanning System	Progressive Scan
Sensor	1/3" 4Mpx CMOS
Pixels	2688(H) × 1520(V)
Minimum illumination	0.003Lux/F1.6 (Color, AGC On); 0Lux(B/W, IR On)
S/N ratio	> 52dB
Lens	Fixed 4mm F1.6
Angle of view	H: 82°, V: 41.6°
DORI(Detect/Observe/Recognize/Identify)	90m/36m/18m/9m
White balance	(AWB) Auto/manual
Backlight compensation	BLC / HLC / WDR(120dB)
Shutter	Auto/manual (1~1/100000s)
Gain control	(AGC) Auto/manual
Noise reduction	2D/3D DNR
Motion detect	4 areas
Privacy masking	8 areas
Image rotate	Mirror, flip
Focus	Fixed
Day/night	IR cut filter with auto-switch ICR
IR distance	40m
Compression video	H.265 / H.265+ / H.264 / H.264+ / MJPEG
Main stream	4M(2688×1520)(2560×1440)/3M(2304×1296)/1080P(1920×1080)@25/30fps
Second stream	1080P/720P/D1/(640×360)/2CIF/CIF@25fps
Third stream	D1/(640×360)/2CIF/CIF@25fps
Network	RJ-45 (10/100Mbps)
Audio	Built-in microphone
Protocols	IPv4, IGMP, ICMP, ARP, TCP, UDP, DHCP, PPPoE, RTP, RTSP, RTCP, DNS, DDNS, NTP, FTP, UPnP, HTTP, HTTPS, SMTP, 802.1x, SNMP, QoS, NAS, P2P
Compatibility	ONVIF(S/G/T), API
Users	Max 10 logged in
Mobile users	iOS, android
Power supply	DC12V (±25%) / PoE(IEEE802.3 af)
Power consumption	<5W
Working environment	-35°C ~ +60°C, 10%~95% RH
Casing	IP67
Weight	0.5kg
Dimensions	155.9 × 63.1 × 62.7mm (6.1" × 2.5" × 2.5")



BCS-P-414RWSM(-G)-II

Network bullet camera 4Mpx with 4mm lens

Junction box
BCS-P-A71



Junction box
BCS-P-A61

