


BCS-V-DIP15FWR3

5Mpx dome network camera with 2.8mm lens



- 1/2.7 "5Mpx PS CMOS sensor
- Support for two coding streams
- Resolution 2560×1920@20fps
- H.265 + / H.264 + / MJPEG compression
- Mechanical infrared filter ICR
- AGC, AWB, AES, BLC, HLC, WDR (120dB), 3D DNR, ROI functions
- Motion detection, privacy mask
- Built-in web service, compliance with BCS-NVR, CMS (BCS Manager), BCS mobile application (android, iOS), P2P, Onvif
- 2.8mm F2.0 fixed focal length lens
- Infrared with a range of up to 30m
- IP67, IK10 metal outdoor housing
- Operating conditions -30 ° C ~ + 60 ° C
- DC 12V, PoE (802.3af) power supply



BCS-V-DIP15FWR3

5Mpx dome network camera with 2.8mm lens

Video system	IP
Scanning system	Progressive Scan
Sensor	1/2.7" 5Mpx CMOS
Pixels	2560(H) × 1920 (V)
Min. illumination	Kolor:0.01Lux@(F2.0, AGC On), B/W:0Lux(IR On)
Lens	2.8mm F2.0
Focus	Fixed
Viewing angle	H: 98.0°, V: 71.7°, D: 127°
White balance	(AWB) Auto/manual
Background compensation	BLC / HLC / WDR(120dB)
Shutter	Auto/manual (1/3~1/100000s)
Gain control	(AGC) Auto/manual
Noise reduction	3D DNR
Day / night function	IR cut filter with auto-switch ICR
Infrared	30m
Video compression	H.265 / H.265+ / H.264 / H.264+ / MJPEG(second stream)
Main stream	50 Hz: 20 fps (2560 × 1920) 25 fps (2560 × 1440, 1920 × 1080, 1280 × 720) 60 Hz: 20 fps (2560 × 1920) 30 fps (2560 × 1440, 1920 × 1080, 1280 × 720)
Second stream	50 Hz: 25 fps (1280 × 720, 640 × 480, 640 × 360) 60 Hz: 30 fps (1280 × 720, 640 × 480, 640 × 360)
Network connection	RJ-45 (10/100Mbps)
Protocols	TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP™, SMTP, SNMP, IGMP, 802.1X, QoS, IPv6, Bonjour, IPv4, UDP, SSL/TLS
Compatibility	ONVIF
Users	Max. 32
Mobile users	iOS, android
Power	DC12V (±25%) 0.4A max. 5W / PoE(802.3af) 36~57V, 0.2A max 6.5W
Working conditions	-30°C ~ +60°C, 10%~95% RH
Case	IP67, IK10
Weight	0.36kg
Dimensions	∅ 111 mm × 82.4 mm (∅ 4.4" × 3.2")



BCS-V-DIP15FWR3

5Mpx dome network camera with 2.8mm lens

Junction box
BCS-V-AMD



Wall mount
BCS-V-UMD

