

CERTIFICATE

No: 000208/02

In accordance with the **CertAlarm** Rules and Certification scheme type 5, as defined in ISO/IEC 17067, we
Telefication B.V. certify that the product

HS2LCDRFP8

is in conformity with the following standard(s)

EN 50131-3

Alarm systems - Intrusion and hold-up systems - Part 3: Control and indicating equipment

EN 50131-5-3/A1

Alarm systems - Intrusion systems - Part 5-3: Requirements for interconnections equipment using radio frequency techniques

Digital Security Controls LTD.
Langstaff Road 3301
L4K4 L2 CONCORD ONTARIO
Canada

is authorised to use the CERTALARM Mark on the above mentioned product.

This certificate is valid until:
29 November 2022

Zevenaar, 29 November 2018

Signed on behalf of Telefication B.V.



Jan Willem Verwoert
Project Manager



CERTIFICATE

No: 000208/02 - Annex No 1

Takes into account the following product and variants:

- Product description: I&HAS LCD Keypad
- Trademark: DSC/Tyco
- Type designation: HS2LCDRFP8
- Hardware version: UA627 Rev.03
- Software version: Ver 1.3

- Product description: LCD Keypad
- Trademark: DSC/Tyco
- Type designation: HS2LCDRF8
- Hardware version: UA627 Rev.03
- Software version: Ver 1.3

- Product description: LCD Keypad
- Trademark: DSC/Tyco
- Type designation: HS2ICNRFP8
- Hardware version: UA627 Rev.03
- Software version: Ver 1.3

- Product description: LCD Keypad
- Trademark: DSC/Tyco
- Type designation: HS2ICNRF8
- Hardware version: UA627 Rev.03
- Software version: Ver 1.3

The optional features of the specifications that are included in the product and test report:

Security grade: 2
Environmental class: II
Equipment class: Fixed

This equipment can be applied in EN 50131-1 compliant systems up to and including security grade 2.

Factory location:
Digital Security Controls, a div. of Tyco Safety Products Canada Ltd.
95 Bridgeland Ave.
M6A1Y7 Toronto
Canada

Storage location:
AnB Rimex SA
Rue de l'Abbaye 89
4040 Herstal

CERTIFICATE

No: 000208/02 - Annex No 1

Belgium


Alarm equipment using RF techniques

- Operating frequency range: 868-869 MHz

-

Test Reports:

- Nemko Canada Inc.: HS2LCDRFP4_8 EN 50130-4 Nemko Test Report 233460-1TRFEMC, 16 May 2013
- Telefication B.V.: 20134029801-Ver 2.00, 23 December 2014
- Telefication B.V.: 20134029800-Ver 1.00, 09 January 2015



CERTIFICATE

No: 000208/02 - Annex No 2

Validity of Certificate:

The Certificate remains valid based upon satisfactory annual factory production control audits for Fire products or biennial factory production control audits for Security products and follow up re-testing as required by CertAlarm scheme rules.

Documents submitted:

- Assembly drawings
- Bill of material / Parts list
- Electronic schematics
- Manual
- Internal / external photos
- Label and label placement
- RF_071_02 Request for prolongation of an Alarm Certificate - HS2LCDRFP8_HS2LCDRF8_HS2ICNRFP8_HS2ICNRF8
- Keypads SW (1_3) statement for Telefication - 09272017

DISCLAIMER:

The validity of this certificate is limited to products, which are equal to the one(s) examined.